

## Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 11/30/2010




Reviewed on 11/30/2010

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** BRUNOX® IX 100
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**  
 High-Tec-long-term corrosion inhibitor Sealing  
 Anticorrosion additive
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 BRUNOX Korrosionsschutz GmbH  
 Postfach 100127  
 85001 Ingolstadt  
  
 Tel. + 49/ (0) 841 961 29 04  
 Fax + 49/ (0) 841 961 29 13  
 E-mail: office@brunox.com  
  
 ·  
 BRUNOX AG  
 Tunnelstrasse 6  
 CH - 8732 Neuhaus/SG  
  
 Tel. +41/ (0)55 285 80 80  
 Fax +41/ (0)55 285 80 81  
 E-mail: office@brunox.com
- **Information department:** Abteilung Produktsicherheit: Tel. +41/ (0)79 372 34 44
- **Emergency telephone number:**  
 Toxikologisches Informationszentrum  
 CH - 8030 Zürich, Freiestrasse 16  
 Tel. +41/ 044 251 51 51  
 Notruf - CH - : 145                      Notruf - D - : Giftnotrufzentrale 030 19240  
 Notruf - AT - : 01 4064343              EUROPÄISCHE NOTRUFNR. : 112

### 2 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:**

8052-41-3 Stoddard solvent	 H304	50-100%
64742-48-9 Naphtha (petroleum), hydrotreated heavy	 H304	2.5-10%
64742-47-8 Distillates (petroleum), hydrotreated light	 H304	2.5-10%

### 3 Hazards identification

- **Classification of the substance or mixture**



GHS02 Flame

H226 Flammable liquid and vapour.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

(Contd. on page 2)

CA

## Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 1)

Irritating to eyes and skin.

Flammable. Harmful to aquatic organisms.

• **Information concerning particular hazards for human and environment:**

The product has to be labelled due to the calculation procedure of international guidelines.

• **Classification system:**

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

• **Label elements**

• **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

• **Code letter and hazard designation of product:**



Irritant

• **Hazard-determining components of labelling:**

Stoddard solvent

Naphtha (petroleum), hydrotreated heavy

• **Risk phrases:**

Flammable.

Irritating to eyes and skin.

Harmful to aquatic organisms.

• **Safety phrases:**

Keep out of the reach of children.

Do not breathe fumes/aerosol.

Avoid contact with skin and eyes.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

In case of insufficient ventilation, wear suitable respiratory equipment.

In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

• **Hazard description:**

• **WHMIS-symbols:**

B3 - Combustible liquid

D2B - Toxic material causing other toxic effects



• **Classification system:**

• **NFPA ratings (scale 0 - 4)**



Health = 1

Fire = 2

Reactivity = 0

• **HMIS-ratings (scale 0 - 4)**

HEALTH	1
FIRE	2
REACTIVITY	0

Health = 1

Fire = 2

Reactivity = 0

(Contd. on page 3)

CA

**Material Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 2)

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**4 First aid measures**

- **Description of first aid measures**
- **General information:** Seek medical treatment.
- **After inhalation:**  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
If skin irritation continues, consult a doctor.  
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
Nausea  
Headache  
Dizziness
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Firefighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Keep away from ignition sources  
Ensure adequate ventilation  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents

(Contd. on page 4)  
CA

**Material Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 3)

**· Reference to other sections**

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

**7 Handling and storage****· Handling:****· Precautions for safe handling**

- Use only in well ventilated areas.
- Keep away from heat and direct sunlight.
- Keep receptacles tightly sealed.
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

**· Information about protection against explosions and fires:**

- Keep ignition sources away - Do not smoke.
- Protect against electrostatic charges.

**· Conditions for safe storage, including any incompatibilities****· Storage:**

- Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- Information about storage in one common storage facility:** Store away from oxidizing agents.
- Further information about storage conditions:**
  - Store receptacle in a well ventilated area.
  - Store under lock and key and out of the reach of children.
  - Keep receptacle tightly sealed.
- Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- Additional information about design of technical systems:** No further data; see item 7.

**· Control parameters**

- Components with limit values that require monitoring at the workplace:**

**8052-41-3 Stoddard solvent**

- EL Short-term value: 580 mg/m<sup>3</sup>
- Long-term value: 290 mg/m<sup>3</sup>
- EV 525 mg/m<sup>3</sup>

**64742-47-8 Distillates (petroleum), hydrotreated light**

- EL 200 mg/m<sup>3</sup>
- Skin

- Additional information:** The lists that were valid during the creation were used as basis.

**· Exposure controls****· Personal protective equipment:****· General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- Avoid contact with the eyes and skin.

**· Breathing equipment:**

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

## Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 4)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:**

Fluid

**Color:**

Brown

· **Odor:**

Characteristic

· **Odour threshold:**

Not determined.

· **pH-value:**

Not determined.

· **Change in condition**

**Melting point/Melting range:**

Undetermined.

**Boiling point/Boiling range:**

175°C

· **Flash point:**

41°C

· **Ignition temperature:**

210°C

· **Decomposition temperature:**

Not determined.

· **Auto igniting:**

Product is not selfigniting.

· **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

· **Explosion limits:**

**Lower:**

1.1 Vol %

**Upper:**

6.0 Vol %

(Contd. on page 6)

CA

**Material Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 5)

- **Vapor pressure at 20°C:** 2 hPa
- **Density at 20°C:** 0.886 g/cm<sup>3</sup>
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with Water:** Not miscible or difficult to mix.
- **Segregation coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic at 20°C:** 800 mPas
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.0 %
- **Other information** No further relevant information available.

**10 Stability and reactivity**

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**  
**64742-48-9 Naphtha (petroleum), hydrotreated heavy**
  - Oral LD50 >5000 mg/kg (rat)
  - Dermal LD50 >3000 mg/kg (rab)
- **Primary irritant effect:**
  - on the skin:** Bei längeren und/oder häufigem Hautkontakt sind Reizerscheinungen möglich. Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis. Irritant to skin and mucous membranes.
  - on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:** The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant

## Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 6)

### 12 Ecological information

- **Toxicity**
- **Acquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

### 14 Transport information

- **DOT regulations:**



- **Hazard class:** 3
- **Identification number:** UN1268
- **Packing group:** III
- **Proper shipping name (technical name):** PRODUITS PÉTROLIERS, N.S.A.
- **Label** 3

- **TDG (Transport dangerous goods):**



- **TDG class:** 3 Flammable liquids
- **Danger code (Kemler):** 30
- **UN-Number:** 1268

(Contd. on page 8)

CA

## Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 7)

- **Packaging group:** III
- **Label:** 3
- **UN proper shipping name:** 1268 PETROLEUM PRODUCTS, N.O.S.
- **Remarks:** (solvent naphtha)
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **UN Number:** 1268
- **Marine pollutant:** nein  
No
- **Propper shipping name:** PETROLEUM PRODUCTS, N.O.S.
- **Remarks:** (solvent naphtha)
- **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1268
- **Label:** 3
- **Packaging group:** III
- **Propper shipping name:** PETROLEUM PRODUCTS, N.O.S.
- **Remarks:** (solvent naphtha)
- **UN "Model Regulation":** UN1268, PETROLEUM PRODUCTS, N.O.S., 3, III
- **Special precautions for user** Warning: Flammable liquids
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):**  
None of the ingredients is listed.
- **Section 313 (Specific toxic chemical listings):**  
None of the ingredients is listed.
- **TSCA (Toxic Substances Control Act):**  
All ingredients are listed.
- **Proposition 65**
- **Chemicals known to cause cancer:**  
None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for females:**  
None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for males:**  
None of the ingredients is listed.
- **Chemicals known to cause developmental toxicity:**  
None of the ingredients is listed.

(Contd. on page 9)

CA




**Material Safety Data Sheet**  
acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 8)

- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)**  
None of the ingredients is listed.
- **IARC (International Agency for Research on Cancer)**  
None of the ingredients is listed.
- **NTP (National Toxicology Program)**  
None of the ingredients is listed.
- **TLV (Threshold Limit Value established by ACGIH)**  
None of the ingredients is listed.
- **NIOSH-Ca (National Institute for Occupational Safety and Health)**  
None of the ingredients is listed.
- **OSHA-Ca (Occupational Safety & Health Administration)**  
None of the ingredients is listed.
- **Canadian substance listings:**
- **Canadian Domestic Substances List (DSL)**  
All ingredients are listed.
- **Canadian Ingredient Disclosure list (limit 0.1%)**  
None of the ingredients is listed.
- **Canadian Ingredient Disclosure list (limit 1%)**  
8052-41-3 Stoddard solvent
- **Product related hazard informations:**  
The product has been classified and marked in accordance with directives on hazardous materials.
- **Hazard symbols:**  
 Irritant
- **Hazard-determining components of labelling:**  
Stoddard solvent  
Naphtha (petroleum), hydrotreated heavy
- **Risk phrases:**  
Flammable.  
Irritating to eyes and skin.  
Harmful to aquatic organisms.
- **Safety phrases:**  
Keep out of the reach of children.  
Do not breathe fumes/aerosol.  
Avoid contact with skin and eyes.  
Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.  
In case of insufficient ventilation, wear suitable respiratory equipment.  
In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

CA

(Contd. on page 10)

## **Material Safety Data Sheet**

acc. to ISO/DIS 11014

Printing date 11/30/2010

Reviewed on 11/30/2010

(Contd. of page 9)

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Abteilung Produktsicherheit

· **Contact:** siehe Seite 1 / see page 1

· **Abbreviations and acronyms:**

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

CA