

## Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 30.11.2010

Revision: 30.11.2010

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name: BRUNOX® IX 100**
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**  
High-Tec-long-term corrosion inhibitor Sealing  
Anticorrosion additive
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
BRUNOX Korrosionsschutz GmbH  
Postfach 100127  
85001 Ingolstadt  
  
Tel. + 49/ (0) 841 961 29 04  
Fax + 49/ (0) 841 961 29 13  
E-mail: office@brunox.com  
  
·  
BRUNOX AG  
Tunnelstrasse 6  
CH - 8732 Neuhaus/SG  
  
Tel. +41/ (0)55 285 80 80  
Fax +41/ (0)55 285 80 81  
E-mail: office@brunox.com
- **Further information obtainable from:** Abteilung Produktsicherheit: Tel. +41/ (0)79 372 34 44
- **Emergency telephone number:**  
Toxikologisches Informationszentrum  
CH - 8030 Zürich, Freiestrasse 16  
Tel. +41/ 044 251 51 51  
Notruf - CH - : 145                      Notruf - D - : Giftnotrufzentrale 030 19240  
Notruf - AT - : 01 4064343              EUROPÄISCHE NOTRUFNR. : 112

### 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**  
 GHS02 flame  
  
Flam. Liq. 3 H226 Flammable liquid and vapour.
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**  
 Xi; Irritant  
  
R36/38: Irritating to eyes and skin.  
R10-52: Flammable. Harmful to aquatic organisms.
- **Information concerning particular hazards for human and environment:**  
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Classification system:**  
The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

(Contd. on page 2)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 30.11.2010

Revision: 30.11.2010

(Contd. of page 1)

- **Label elements**

- **Labelling according to EU guidelines:**

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

- **Code letter and hazard designation of product:**



Xi Irritant

- **Hazard-determining components of labelling:**

Stoddard solvent  
Naphtha (petroleum), hydrotreated heavy

- **Risk phrases:**

10 Flammable.  
36/38 Irritating to eyes and skin.  
52 Harmful to aquatic organisms.

- **Safety phrases:**

2 Keep out of the reach of children.  
23 Do not breathe fumes/aerosol.  
24/25 Avoid contact with skin and eyes.  
29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.  
38 In case of insufficient ventilation, wear suitable respiratory equipment.  
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 8052-41-3 EINECS: 232-489-3	Stoddard solvent ✘ Xn R65; ✘ Xi R36/38 R10-52 ⚠ Asp. Tox. 1, H304	50-100%
CAS: 64742-48-9 EINECS: 265-150-3	Naphtha (petroleum), hydrotreated heavy ✘ Xn R65 R10-66 ⚠ Asp. Tox. 1, H304	2.5-10%
CAS: 64742-47-8 EINECS: 265-149-8	Distillates (petroleum), hydrotreated light ✘ Xn R65 R10-66 ⚠ Asp. Tox. 1, H304	2.5-10%

(Contd. on page 3)

GB

## **Safety data sheet**

**according to 1907/2006/EC, Article 31**

Printing date 30.11.2010

Revision: 30.11.2010

(Contd. of page 2)

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### **4 First aid measures**

- **Description of first aid measures**
- **General information:** Seek medical treatment.
- **After inhalation:**  
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:**  
If skin irritation continues, consult a doctor.  
Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed**  
Nausea  
Headache  
Dizziness
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### **5 Firefighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
In case of fire, the following can be released:  
Carbon monoxide (CO)
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information** Cool endangered receptacles with water spray.

### **6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Keep away from ignition sources.  
Ensure adequate ventilation  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.

(Contd. on page 4)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2010

Revision: 30.11.2010

(Contd. of page 3)

See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
Use only in well ventilated areas.  
Keep away from heat and direct sunlight.  
Keep receptacles tightly sealed.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:**  
Store receptacle in a well ventilated area.  
Store under lock and key and out of the reach of children.  
Keep container tightly sealed.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
**8052-41-3 Stoddard solvent**  
NES (Australia) Long-term value: 790 mg/m<sup>3</sup>  
WES (New Zealand) Long-term value: 525 mg/m<sup>3</sup>, 100 ppm
- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Do not inhale gases / fumes / aerosols.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Protection of hands:**



Protective gloves

(Contd. on page 5)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 30.11.2010

Revision: 30.11.2010

(Contd. of page 4)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

**Form:**

Fluid

**Colour:**

Brown

- **Odour:**

Characteristic

- **Odour threshold:**

Not determined.

- **pH-value:**

Not determined.

- **Change in condition**

**Melting point/Melting range:**

Undetermined.

**Boiling point/Boiling range:**

175°C

- **Flash point:**

41°C

- **Ignition temperature:**

210°C

- **Decomposition temperature:**

Not determined.

- **Self-igniting:**

Product is not selfigniting.

- **Danger of explosion:**

Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

- **Explosion limits:**

**Lower:**

1.1 Vol %

**Upper:**

6.0 Vol %

- **Vapour pressure at 20°C:**

2 hPa

- **Density at 20°C:**

0.886 g/cm<sup>3</sup>

- **Relative density**

Not determined.

- **Vapour density**

Not determined.

(Contd. on page 6)

GB

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 30.11.2010

Revision: 30.11.2010

(Contd. of page 5)

- **Evaporation rate** Not determined.
- **Solubility in / Miscibility with water:** Not miscible or difficult to mix.
- **Segregation coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
  - Dynamic at 20°C:** 800 mPas
  - Kinematic:** Not determined.
- **Solvent content:**
  - Organic solvents:** 0.0 %
  - VOC (EC)** 0.00 %
- **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values relevant for classification:**  
**64742-48-9 Naphtha (petroleum), hydrotreated heavy**
  - Oral LD50 >5000 mg/kg (rat)
  - Dermal LD50 >3000 mg/kg (rab)
- **Primary irritant effect:**
  - on the skin:** Bei längeren und/oder häufigem Hautkontakt sind Reizerscheinungen möglich. Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis. Irritant to skin and mucous membranes.
  - on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:** The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
Irritant

### 12 Ecological information

- **Toxicity**
- **Acquatic toxicity:** No further relevant information available.

(Contd. on page 7)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 30.11.2010

Revision: 30.11.2010

(Contd. of page 6)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.  
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **European waste catalogue**  
20 01 26\* oil and fat other than those mentioned in 20 01 25  
20 01 40 metals
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

- **Land transport ADR/RID (cross-border)**



- **ADR/RID class:** 3 Flammable liquids.
- **Danger code (Kemler):** 30
- **UN-Number:** 1268
- **Packaging group:** III
- **Hazard label:** 3
- **UN proper shipping name:** 1268 PETROLEUM PRODUCTS, N.O.S.
- **Remarks:** (solvent naphtha)
- **Maritime transport IMDG:**
- **IMDG Class:** -
- **UN Number:** 1268
- **Marine pollutant:** nein  
No
- **Proper shipping name:** PETROLEUM PRODUCTS, N.O.S.

(Contd. on page 8)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 30.11.2010

Revision: 30.11.2010

(Contd. of page 7)

- **Remarks:** (solvent naphtha)
- **Air transport ICAO-TI and IATA-DGR:**



- **ICAO/IATA Class:** 3
- **UN/ID Number:** 1268
- **Label:** 3
- **Packaging group:** III
- **Proper shipping name:** PETROLEUM PRODUCTS, N.O.S.
- **Remarks:** (solvent naphtha)
- **UN "Model Regulation":** UN1268, PETROLEUM PRODUCTS, N.O.S., 3, III
- **Special precautions for user:** Warning: Flammable liquids.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.

## 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to EU guidelines:**  
The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.
- **Code letter and hazard designation of product:**



Xi Irritant

- **Hazard-determining components of labelling:**  
Stoddard solvent  
Naphtha (petroleum), hydrotreated heavy
- **Risk phrases:**  
10 Flammable.  
36/38 Irritating to eyes and skin.  
52 Harmful to aquatic organisms.
- **Safety phrases:**  
2 Keep out of the reach of children.  
23 Do not breathe fumes/aerosol.  
24/25 Avoid contact with skin and eyes.  
29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.  
38 In case of insufficient ventilation, wear suitable respiratory equipment.  
45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)



## **Safety data sheet**

**according to 1907/2006/EC, Article 31**

Printing date 30.11.2010

Revision: 30.11.2010

(Contd. of page 8)

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H304 May be fatal if swallowed and enters airways.

R10 Flammable.

R36/38 Irritating to eyes and skin.

R52 Harmful to aquatic organisms.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

· **Department issuing MSDS:** Abteilung Produktsicherheit

· **Contact:** siehe Seite 1 / see page 1

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent