

Printing date 30.11.2010 Revision: 30.11.2010

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: BRUNOX® Turbo-Spray Spray
- · Relevant identified uses of the substance or mixture and uses advised against
- Application of the substance / the preparation

Cleaning, Lubrication, Anticorrosion, Polishing, Maintenance, Penetrating oil, Contact Spray

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BRUNOX Korrosionsschutz GmbH Postfach 100127 85001 Ingolstadt

Tel. + 49/ (0) 841 961 29 04 Fax + 49/ (0) 841 961 29 13 E-mail: office@brunox.com

BRUNOX AG Tunnelstrasse 6

CH - 8732 Neuhaus/SG

Tel. +41/ (0)55 285 80 80 Fax +41/ (0)55 285 80 81 E-mail: office@brunox.com

· Further information obtainable from: Abteilung Produktsicherheit: Tel. +41/ (0)79 372 34 44

· Emergency telephone number:

Toxikologisches Informationszentrum CH - 8030 Zürich, Freiestrasse 16

Tel. +41/ 044 251 51 51

Notruf - CH -: 145 Notruf - D -: Giftnotrufzentrale 030 19240 Notruf - AT -: 01 4064343 EUROPÄISCHE NOTRUFNR.: 112

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Aerosol 1 H222 Extremely flammable aerosol.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

R66: Repeated exposure may cause skin dryness or cracking.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent.

Warning! Pressurized container.

· Classification system:

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 1)

· Label elements

· Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



F Flammable

· Risk phrases:

66 Repeated exposure may cause skin dryness or cracking.

· Safety phrases:

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition No smoking.

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.

· Special labelling of certain preparations:

Safety data sheet available for professional user on request.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- · Classification in accordance with Directive 75/324/EEC: Flammable
- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

CAS: 64742-47-8 EINECS: 265-149-8	Distillates (petroleum), hydrotreated light Xn R65 R66	50-100%
	& Asp. Tox. 1, H304	
CAS: 64742-56-9 EINECS: 265-159-2	Distillates (petroleum), solvent-dewaxed light paraffinic R10	10-25%
CAS: 68608-26-4	sulfonic acids, petroleum, sodium salts Xi R36	2,5-10%
	① Eye Irrit. 2, H319	
CAS: 124-38-9	carbon dioxide	2,5-10%
EINECS: 204-696-9	Press. Gas, H280	

· Additional information: For the wording of the listed risk phrases refer to section 16.

МТ



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 2)

4 First aid measures

- · Description of first aid measures
- · General information: Seek medical treatment.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Nausea Headache

Dizziness

· Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- · Advice for firefighters
- · **Protective equipment:** Wear self-contained respiratory protective device.
- · Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up: Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Use only in well ventilated areas.
- Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 3)

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurized containers.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

124-38-9 carbon dioxide

IOELV (EU) 9000 mg/m³, 5000 ppm

WEL (Great Britain) Short-term value: 27400 mg/m³, 15000 ppm

Long-term value: 9150 mg/m³, 5000 ppm

OEL (Ireland) Short-term value: 27000 mg/m³, 15000 ppm

Long-term value: 9000 mg/m³, 5000 ppm

IOELV

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Filter A/P2
- · Protection of hands:

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 4)

· Eye protection: Not required.

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Aerosol Clear

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

· Change in condition

Melting point/Melting range: -60°C
Boiling point/Boiling range: 175°C

Flash point: 78°C

Ignition temperature: 210°C

· **Decomposition temperature:** Not determined.

· **Self-igniting:** Product is not selfigniting.

· Danger of explosion: Not determined.

· Explosion limits:

 Lower:
 0,5 Vol %

 Upper:
 6,5 Vol %

 ⋅ Vapour pressure at 20°C:
 2 hPa

Density at 20°C:

 Relative density
 Vapour density
 Evaporation rate

 0,83 g/cm³

 Not determined.

 Not applicable.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Segregation coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20°C: 4 mPas

Kinematic: Not determined.

· Solvent content:

 Organic solvents:
 0,5 %

 VOC (EC)
 0,52 %

 Solids content:
 2,0 %

· Other information No further relevant information available.

MT



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Danger of bursting.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Starke Oxidationsmittel/strong oxidising agent
- · Hazardous decomposition products:

Carbon monoxide

Carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Bei längeren und/oder häufigem Hautkontakt sind Reizerscheinungen möglich.

Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis.

- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 6)

· European waste catalogue

20 01 26* oil and fat other than those mentioned in 20 01 25 20 01 40 metals

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 2 5F Gases.

Danger code (Kemler):
 UN-Number:
 Packaging group:
 Hazard label:

· UN proper shipping name: 1950 AEROSOLS

· <u>Tunnel restriction code</u> D

· Maritime transport IMDG:



 ⋅ IMDG Class:
 2.1

 ⋅ UN Number:
 1950

 ⋅ Label
 2.1

 ⋅ Packaging group:

 ⋅ EMS Number:
 F-D,S-U

 ⋅ Marine pollutant:
 NEIN

 No
 No

· Proper shipping name: AEROSOLS

· Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 2.1
 · UN/ID Number: 1950
 · Label 2.1
 · Packaging group: -

· <u>Proper shipping name:</u> AEROSOLS, flammable

- · <u>UN "Model Regulation":</u> UN1950, AEROSOLS, 2.1
- · Special precautions for user Warning: Gases.
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 7)

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to EU guidelines:

Observe the general safety regulations when handling chemicals.

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials.

· Code letter and hazard designation of product:



F Flammable

· Risk phrases:

66 Repeated exposure may cause skin dryness or cracking.

Safety phrases:

- 2 Keep out of the reach of children.
- 16 Keep away from sources of ignition No smoking.

29/56 Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

- 46 If swallowed, seek medical advice immediately and show this container or label.
- 51 Use only in well-ventilated areas.

Special labelling of certain preparations:

Safety data sheet available for professional user on request.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- · Classification in accordance with Directive 75/324/EEC: Flammable
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

- R10 Flammable.
- R36 Irritating to eyes.
- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.
- · Department issuing MSDS: Abteilung Produktsicherheit
- · Contact: siehe Seite 1 / see page 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)





Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 8)

ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) GHS: Globally Harmonized System of Classification and Labelling of Chemicals VOC: Volatile Organic Compounds (USA, EU)

МТ