

Printing date 30.11.2010 Revision: 30.11.2010

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: BRUNOX® Turbo-Spray Spray
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation

Cleaning, Lubrication, Anticorrosion, Polishing, Maintenance, Penetrating oil, Contact Spray

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BRUNOX Korrosionsschutz GmbH Postfach 100127

85001 Ingolstadt

Tel. + 49/ (0) 841 961 29 04 Fax + 49/ (0) 841 961 29 13 E-mail: office@brunox.com

BRUNOX AG Tunnelstrasse 6

CH - 8732 Neuhaus/SG

Tel. +41/ (0)55 285 80 80 Fax +41/ (0)55 285 80 81 E-mail: office@brunox.com

· Further information obtainable from: Abteilung Produktsicherheit: Tel. +41/ (0)79 372 34 44

Emergency telephone number:

Toxikologisches Informationszentrum CH - 8030 Zürich, Freiestrasse 16

Tel. +41/ 044 251 51 51

Notruf - CH -: 145 Notruf - D -: Giftnotrufzentrale 030 19240 Notruf - AT -: 01 4064343 EUROPÄISCHE NOTRUFNR.: 112

2 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

64742-47-8	Distillates (petroleum), hydrotreated light	50-100%
	♦ H304	
64742-56-9	Distillates (petroleum), solvent-dewaxed light paraffinic	10-25%
68608-26-4	sulfonic acids, petroleum, sodium salts	2,5-10%
	♦ H319	
124-38-9	carbon dioxide	2,5-10%

3 Hazards identification

· Classification of the substance or mixture





Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 1)

H222 Extremely flammable aerosol.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).

Hazard pictograms



- · Signal word Danger
- · Hazard statements

H222 Extremely flammable aerosol.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.
P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

4 First aid measures

- · Description of first aid measures
- · General information: Seek medical treatment.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation continues, consult a doctor.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Nausea

Headache

Dizziness

· Indication of any immediate medical attention and special treatment needed

If swallowed or in case of vomiting, danger of entering the lungs.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 2)

· Additional information Cool endangered receptacles with water spray.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up: Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Use only in well ventilated areas.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurized containers.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.

Store under lock and key and out of the reach of children.

Keep container tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

124-38-9 carbon dioxide

WEL (Great Britain) Short-term value: 27400 mg/m³, 15000 ppm Long-term value: 9150 mg/m³, 5000 ppm



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 3)

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Filter A/P2
- · Protection of hands:

Use gloves of stable material (e.g. Nitrile) - if necessary tricoted to improve the wearability. The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol Clear

Odour: Characteristic
 Odour threshold: Not determined.
 pH-value: Not determined.

· Change in condition

Melting point/Melting range:
Boiling point/Boiling range:
175°C

Flash point:
Ignition temperature:
210°C

Decomposition temperature: Not determined.

Self-igniting: Product is not selfigniting.

Danger of explosion: Not determined.

· Explosion limits:

 Lower:
 0,5 Vol %

 Upper:
 6,5 Vol %

 ⋅ Vapour pressure at 20°C:
 2 hPa

 ⋅ Density at 20°C:
 0,83 g/cm³

 ⋅ Relative density
 Not determined.



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 4)

Vapour density
 Evaporation rate
 Not determined.
 Not applicable.

· Solubility in / Miscibility with

water: Not miscible or difficult to mix.

· Segregation coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20°C: 4 mPas

Kinematic: Not determined.

· Solvent content:

 Organic solvents:
 0,5 %

 VOC (EC)
 0,52 %

 Solids content:
 2,0 %

Other information
 No further relevant information available.

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Danger of bursting.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: Starke Oxidationsmittel/strong oxidising agent
- · Hazardous decomposition products:

Carbon monoxide
Carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin:

Bei längeren und/oder häufigem Hautkontakt sind Reizerscheinungen möglich.

Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis.

- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 5)

· Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation

Must be specially treated adhering to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 26* oil and fat other than those mentioned in 20 01 25 20 01 40 metals

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· Land transport ADR/RID (cross-border)



· ADR/RID class: 2 5F Gases.

Danger code (Kemler):
UN-Number:
Packaging group:
Hazard label:

· UN proper shipping name: 1950 AEROSOLS

Tunnel restriction code D

Maritime transport IMDG:



 · IMDG Class:
 2.1

 · UN Number:
 1950

 · Label
 2.1

 · Packaging group:

• EMS Number: F-D,S-U
• Marine pollutant: NeIN
No



Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 6)

Proper shipping name: AEROSOLS
 Air transport ICAO-TI and IATA-DGR:



· ICAO/IATA Class: 2.1
 · UN/ID Number: 1950
 · Label 2.1
 · Packaging group: -

Proper shipping name: AEROSOLS, flammable
 UN "Model Regulation": UN1950, AEROSOLS, 2.1

· Special precautions for user Warning: Gases.

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · GHS label elements

The product is classified and labelled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS02

- · Signal word Danger
- · Hazard statements

H222 Extremely flammable aerosol.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.
P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do no expose to temperatures exceeding 50 °C/122 °F.

· <u>Chemical safety assessment:</u> A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing MSDS: Abteilung Produktsicherheit
- · Contact: siehe Seite 1 / see page 1
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods





Printing date 30.11.2010 Revision: 30.11.2010

(Contd. of page 7)

IATA: International Air Transport Association

IATA. International Air Transport Association IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) ICAO: International Civil Aviation Organization ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO) VOC: Volatile Organic Compounds (USA, EU)

SG