

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** BRUNOX® Epoxy Spray
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the preparation**
 Coating material
 rust neutraliser and epoxy primer
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 BRUNOX Korrosionsschutz GmbH
 Postfach 100127
 85001 Ingolstadt

 Tel. + 49/ (0) 841 961 29 04
 Fax + 49/ (0) 841 961 29 13
 E-mail: office@brunox.com

 BRUNOX AG
 Tunnelstrasse 6
 CH - 8732 Neuhaus/SG

 Tel. +41/ (0)55 285 80 80
 Fax +41/ (0)55 285 80 81
 E-mail: office@brunox.com
- **Information department:** Abteilung Produktsicherheit: Tel. +41/ (0)79 372 34 44
- **Emergency telephone number:**
 Toxikologisches Informationszentrum
 CH - 8030 Zürich, Freiestrasse 16
 Tel. +41/ 044 251 51 51
 Notruf - CH - : 145 Notruf - D - : Giftnotrufzentrale 030 19240
 Notruf - AT - : 01 4064343 EUROPÄISCHE NOTRUFNR. : 112

2 Composition/information on ingredients

- **Chemical characterization: Mixtures**
 - **Description:** Mixture of the substances listed below with nonhazardous additions.
 - **Dangerous components:**
- | | | |
|------------------------------------|----------------------------|---------|
| 67-64-1 acetone | ⚠ H225; ⚠ H319; H336 | 25-50% |
| 108-10-1 4-methylpentan-2-one | ⚠ H225; ⚠ H332; H319; H335 | 2.5-10% |
| 107-98-2 1-methoxy-2-propanol | ⚠ H226 | 2.5-10% |
| 67-63-0 propan-2-ol | ⚠ H225; ⚠ H319; H336 | 2.5-10% |
| 10024-97-2 dinitrogen oxide | ⚠ H270; ⚠ H280 | 2.5-10% |
| 64-18-6 formic acid | ⚠ H314 | ≤2.0% |
| 112-34-5 2-(2-butoxyethoxy)ethanol | ⚠ H319 | ≤2.0% |

USA
(Contd. on page 2)

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 1)

3 Hazards identification**· Classification of the substance or mixture**

GHS02 Flame

H222 Extremely flammable aerosol.



GHS07

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

H333 May be harmful if inhaled.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Irritant

Irritating to eyes.



Extremely flammable

Extremely flammable.

Vapours may cause drowsiness and dizziness.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

Warning! Pressurized container.

· Classification system:

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

· Label elements**· Labelling according to EU guidelines:**

The product has been classified and marked in accordance with directives on hazardous materials.

· Code letter and hazard designation of product:

Irritant

Extremely flammable

· Risk phrases:

Extremely flammable.

Irritating to eyes.

Vapours may cause drowsiness and dizziness.

· Safety phrases:

Keep out of the reach of children.

Keep away from sources of ignition - No smoking.

Do not breathe aerosol.

Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.

If swallowed, seek medical advice immediately and show this container or label.

Use only in well-ventilated areas.

(Contd. on page 3)

USA

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 2)

- **Special labelling of certain preparations:**

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

- **Classification in accordance with Directive 75/324/EEC:** Extremely flammable

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 4
Reactivity = 3

- **HMIS-ratings (scale 0 - 4)**

HEALTH	1
FIRE	4
REACTIVITY	3

Health = 1
Fire = 4
Reactivity = 3

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

4 First aid measures

- **Description of first aid measures**

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

- **After skin contact:** Generally the product does not irritate the skin.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** A person vomiting while lying on their back should be turned onto their side.

- **Information for doctor:**

- **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Firefighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:** CO₂, sand, extinguishing powder. Do not use water.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

- **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

- **Advice for firefighters**

- **Protective equipment:** No special measures required.

- **Additional information** Cool endangered receptacles with water spray.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

USA

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 3)

- **Environmental precautions:**
Do not allow product to reach sewage system or any water course.
Inform respective authorities in case of seepage into water course or sewage system.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Store in cool, dry place in tightly closed receptacles.
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:**
Do not spray on a naked flame or any incandescent material.
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**
Store in a cool location.
Observe official regulations on storing packagings with pressurized containers.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Do not gas tight seal receptacle.
Store in cool, dry conditions in well sealed receptacles.
Protect from heat and direct sunlight.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
67-64-1 acetone
PEL 2400 mg/m³, 1000 ppm
REL 590 mg/m³, 250 ppm
TLV Short-term value: 1782 mg/m³, 750 ppm
Long-term value: 1188 mg/m³, 500 ppm
BEI

(Contd. on page 5)

USA

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 4)

108-10-1 4-methylpentan-2-one

PEL 410 mg/m³, 100 ppm
REL Short-term value: 300 mg/m³, 75 ppm
Long-term value: 205 mg/m³, 50 ppm
TLV Short-term value: 307 mg/m³, 75 ppm
Long-term value: (205) 82 mg/m³, (50) NIC-20 ppm
(BEI);NIC-A3

107-98-2 1-methoxy-2-propanol

REL Short-term value: 540 mg/m³, 150 ppm
Long-term value: 360 mg/m³, 100 ppm
TLV Short-term value: 553 mg/m³, 150 ppm
Long-term value: 369 mg/m³, 100 ppm

67-63-0 propan-2-ol

PEL 980 mg/m³, 400 ppm
REL Short-term value: 1225 mg/m³, 500 ppm
Long-term value: 980 mg/m³, 400 ppm
TLV Short-term value: 984 mg/m³, 400 ppm
Long-term value: 492 mg/m³, 200 ppm
BEI

10024-97-2 dinitrogen oxide

REL 46 mg/m³, 25 ppm
TLV 90 mg/m³, 50 ppm

64-18-6 formic acid

PEL 9 mg/m³, 5 ppm
REL 9 mg/m³, 5 ppm
TLV Short-term value: 19 mg/m³, 10 ppm
Long-term value: 9.4 mg/m³, 5 ppm

• **Additional information:** The lists that were valid during the creation were used as basis.

• **Exposure controls**

• **Personal protective equipment:**

• **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Do not inhale gases / fumes / aerosols.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

• **Breathing equipment:** Use suitable respiratory protective device in case of insufficient ventilation.

• **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has

(Contd. on page 6)

Material Safety Data Sheet

acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 5)

therefore to be checked prior to the application.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Aerosol
Color:	Amber colored
Odor:	Characteristic
Odour threshold:	Not determined.

- **pH-value at 20°C (68°F):** 4

- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	55°C (131°F)

- **Flash point:** 13°C (55°F)

- **Ignition temperature:** 270°C (518°F)

- **Decomposition temperature:** Not determined.

- **Auto igniting:** Product is not selfigniting.

- **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

- **Explosion limits:**

Lower:	2.6 Vol %
Upper:	13.0 Vol %

- **Vapor pressure at 20°C (68°F):** 233 hPa (175 mm Hg)

- **Density at 20°C (68°F):** 1 g/cm³ (8.345 lbs/gal)

- **Relative density** Not determined.

- **Vapour density** Not determined.

- **Evaporation rate** Not applicable.

- **Solubility in / Miscibility with**

Water: Not miscible or difficult to mix.

- **Segregation coefficient (n-octanol/water):** Not determined.

- **Viscosity:**

Dynamic: Not determined.

Kinematic: Not determined.

- **Solvent content:**

Organic solvents: 63.1 %

(Contd. on page 7)
USA

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 6)

<u>VOC content:</u>	63.1 % 630.6 g/l / 5.26 lb/gl
<u>Solids content:</u>	0.8 %
<u>Other information</u>	No further relevant information available.

10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** Danger of bursting.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
on the skin:
Bei längeren und/oder häufigem Hautkontakt sind Reizerscheinungen möglich.
Prolonged skin contact will result in defatting of the skin, leading to irritation, and in some cases, dermatitis.
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

12 Ecological information

- **Toxicity**
- **Acquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)

USA

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 7)

- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **DOT regulations:**



- **Hazard class:** 2.1
- **Identification number:** UN1950
- **Packing group:** -
- **Proper shipping name (technical name):** AEROSOLS, flammable
- **Label:** 2.1

- **Land transport ADR/RID (cross-border):**



- **ADR/RID class:** 2 5F Gases
- **Danger code (Kemler):** -
- **UN-Number:** 1950
- **Packaging group:** -
- **Label:** 2.1
- **UN proper shipping name:** 1950 AEROSOLS

- **Maritime transport IMDG:**



- **IMDG Class:** 2.1
- **UN Number:** 1950
- **Label:** 2.1
- **Packaging group:** -
- **EMS Number:** F-D,S-U
- **Marine pollutant:** No


(Contd. on page 9)

Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 8)

- **Propper shipping name:** AEROSOLS
 - **Air transport ICAO-TI and IATA-DGR:**
- 
- **ICAO/IATA Class:** 2.1
 - **UN/ID Number:** 1950
 - **Label:** 2.1
 - **Packaging group:** -
 - **Propper shipping name:** AEROSOLS, flammable
 - **UN "Model Regulation":** UN1950, AEROSOLS, 2.1
 - **Special precautions for user** Warning: Gases
 - **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):**
None of the ingredients is listed.
- **Section 313 (Specific toxic chemical listings):**
108-10-1 4-methylpentan-2-one
67-63-0 propan-2-ol
64-18-6 formic acid
- **TSCA (Toxic Substances Control Act):**
All ingredients are listed.
- **Proposition 65**
- **Chemicals known to cause cancer:**
None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for females:**
None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for males:**
None of the ingredients is listed.
- **Chemicals known to cause developmental toxicity:**
None of the ingredients is listed.
- **Carcinogenic categories**
- **EPA (Environmental Protection Agency)**
67-64-1 acetone |
108-10-1 4-methylpentan-2-one |
- **IARC (International Agency for Research on Cancer)**
67-63-0 propan-2-ol 3
1401-55-4 Tannins 3

(Contd. on page 10)
USA

Material Safety Data Sheet

acc. to ISO/DIS 11014



Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 9)

- **NTP (National Toxicology Program)**
None of the ingredients is listed.
- **TLV (Threshold Limit Value established by ACGIH)**

67-64-1 acetone	A4
67-63-0 propan-2-ol	A4
10024-97-2 dinitrogen oxide	A4
- **NIOSH-Ca (National Institute for Occupational Safety and Health)**
None of the ingredients is listed.
- **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.
- **Product related hazard informations:**
The product has been classified and marked in accordance with directives on hazardous materials.
- **Hazard symbols:**

		Irritant Extremely flammable
--	--	---------------------------------
- **Risk phrases:**
Extremely flammable.
Irritating to eyes.
Vapours may cause drowsiness and dizziness.
- **Safety phrases:**
Keep out of the reach of children.
Keep away from sources of ignition - No smoking.
Do not breathe aerosol.
Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.
If swallowed, seek medical advice immediately and show this container or label.
Use only in well-ventilated areas.
- **Special labeling of certain preparations:**
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.
Do not spray on a naked flame or any incandescent material.
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Department issuing MSDS:** Abteilung Produktsicherheit
- **Contact:** siehe Seite 1 / see page 1
- **Abbreviations and acronyms:**
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization

(Contd. on page 11)

USA



Material Safety Data Sheet
acc. to ISO/DIS 11014

Printing date 11/29/2010

Reviewed on 11/29/2010

(Contd. of page 10)

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
ACGIH: American Conference of Governmental Industrial Hygienists
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)

USA